




PRESS·TITE™

PRESS-TITE GAS: STRAIGHT CONNECTOR




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	Straight Connector
Material	Copper
Group	Straight Coupler
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L1	L2	A
		Size	Size	Size	0.5	±1.0	Size
GPFCO15	15mm	15.2	15.8	22.85	6.4	20	44
GPFCO22	22mm	22.2	22.8	30.90	7.3	21	44
GPFCO28	28mm	28.2	28.8	37.00	7.1	23	48
GPFCO35	35mm	35.3	35.9	43.90	7.1	26	55
GPFCO42	42mm	42.3	42.9	52.8	8.8	30	62
GPFCO54	54mm	54.3	54.9	64.85	8.8	35	74



PRESS·TITE™

PRESS-TITE GAS: 90° ELBOW COUPLER




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	90° Elbow
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L1	L2	A
		Size	Size	Size	0.5	±1.0	Size
GPFEL15	15mm	15.2	15.8	22.85	6.4	20	38
GPFEL22	22mm	22.2	22.8	30.90	7.3	21	47.4
GPFEL28	28mm	28.2	28.8	37.00	7.1	23	56.6
GPFEL35	35mm	35.3	35.9	43.90	7.1	26	68
GPFEL42	42mm	42.3	42.9	52.8	8.8	30	80.4
GPFEL54	54mm	54.3	54.9	64.85	8.8	35	100



PRESS·TITE™

PRESS-TITE GAS: 45° ELBOW




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	45° Elbow
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	A
		Size	Size	Size	Size	0.5	±1.0	Size	Size
GPFEL1545	15mm	15.2	15.8	22.85	15	6.4	20	23	27.5
GPFEL2245	22mm	22.2	22.8	30.90	22	7.3	21	24	32
GPFEL2845	28mm	28.2	28.8	37.00	28	7.1	23	27	37
GPFEL3545	35mm	35.3	35.9	43.90	35	7.1	26	30	43.5
GPFEL4245	42mm	42.3	42.9	52.8	42	8.8	30	34	51
GPFEL5445	54mm	54.3	54.9	64.85	54	8.8	35	39	62



PRESS-TITE™

PRESS-TITE GAS: 90° STREET ELBOW




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	90° Elbow Street
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	A
		Size	Size	Size	Size	0.5	±1.0	Size	Size
GPFELS15	15mm	15.2	15.8	22.85	15	6.4	20	23	38
GPFELS22	22mm	22.2	22.8	30.90	22	7.3	21	24	47.4
GPFELS28	28mm	28.2	28.8	37.00	28	7.1	23	27	56.6
GPFELS35	35mm	35.3	35.9	43.90	35	7.1	26	30	68
GPFELS42	42mm	42.3	42.9	52.8	42	8.8	30	34	80.4
GPFELS54	54mm	54.3	54.9	64.85	54	8.8	35	39	100



PRESS-TITE™

PRESS-TITE GAS: 45° STREET ELBOW




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	45° Elbow Street
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	B
		Size	Size	Size	Size	0.5	±1.0	Size	Size
GPFELS1545	15mm	15.2	15.8	22.85	15	6.4	20	23	34
GPFELS2245	22mm	22.2	22.8	30.90	22	7.3	21	24	42
GPFELS2845	28mm	28.2	28.8	37.00	28	7.1	23	27	45.4
GPFELS3545	35mm	35.3	35.9	43.90	35	7.1	26	30	58
GPFELS4245	42mm	42.3	42.9	52.8	42	8.8	30	34	73
GPFELS5445	54mm	54.3	54.9	64.85	54	8.8	35	39	85



PRESS·TITE™

PRESS-TITE GAS: EQUAL TEE CONNECTOR




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	Equal Tee
Material	Copper
Group	Equal Tee
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L1	L2	A	B
		Size	Size	Size	0.5	±1.0	Size	Size
GPFTTE15	15mm	15.2	15.8	22.85	6.4	20	64	32
GPFTTE22	22mm	22.2	22.8	30.90	7.3	21	74	37
GPFTTE28	28mm	28.2	28.8	37.00	7.1	23	84	42
GPFTTE35	35mm	35.3	35.9	43.90	7.1	26	100	50
GPFTTE42	42mm	42.3	42.9	52.8	8.8	30	116	58
GPFTTE54	54mm	54.3	54.9	64.85	8.8	35	138	69



PRESS-TITE™

PRESS-TITE GAS: END CAP




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	End Cap
Material	Copper
Group	End Cap
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	A
		Size	Size	Size	Size	0.5	±1.0	Size	Size
GPFEC15	15mm	15.2	15.8	22.85	15	6.4	20	23	22.5
GPFEC22	22mm	22.2	22.8	30.90	22	7.3	21	24	24.5
GPFEC28	28mm	28.2	28.8	37.00	28	7.1	23	27	26.5
GPFEC35	35mm	35.3	35.9	43.90	35	7.1	26	30	29.5
GPFEC42	42mm	42.3	42.9	52.8	42	8.8	30	34	33.5
GPFEC54	54mm	54.3	54.9	64.85	54	8.8	35	39	38.5



PRESS-TITE™

PRESS-TITE GAS: SLIP COUPLER




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	Slip Coupler
Material	Copper
Group	Straight Coupler
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L	A
		Size	Size	Size	0.5	Size
GPFSC15	15mm	15.2	15.8	22.85	6.4	80
GPFSC22	22mm	22.2	22.8	30.90	7.3	80
GPFSC28	28mm	28.2	28.8	37.00	7.1	80
GPFSC35	35mm	35.3	35.9	43.90	7.1	102
GPFSC42	42mm	42.3	42.9	52.8	8.8	120
GPFSC54	54mm	54.3	54.9	64.85	8.8	140



PRESS·TITE™

PRESS-TITE GAS: INTERNAL REDUCER COUPLER




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	Internal Reducer
Material	Copper
Group	Reducer Coupler
Certification	EN1254-7-2021
BSI Kitemark	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	A
		Size	Size	Size	Size	0.5	±1.0	Size
GPFRC2215	22×15mm	15.2	15.8	22.85	22	6.4	20	50
GPFRC2815	28×15mm	15.2	15.8	22.85	28	6.4	20	55
GPFRC2822	28×22mm	22.2	22.8	30.9	28	7.3	21	53
GPFRE3522	35×22mm	22.2	22.8	30.9	35	7.3	21	60
GPFRE3528	35×28mm	28.2	28.8	37	35	7.1	23	59
GPFRE4222	42×22mm	22.2	22.8	30.9	42	7.3	21	67
GPFRE4228	42×28mm	28.2	28.8	37	42	7.1	23	67
GPFRE4235	42×35mm	35.3	35.9	43.9	42	7.1	26	66
GPFRE5435	54×35mm	35.3	35.9	43.9	54	7.1	26	79
GPFRE5442	54×42mm	42.3	42.9	52.8	54	8.8	30	77



PRESS-TITE™

PRESS-TITE GAS: REDUCER COUPLER




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	Reducer
Material	Copper
Group	Reducer Coupler
Certification	EN1254-7-2021
BSI Kitemark	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	A
		Size	Size	Size	Size	0.5	±1.0	Size
GPFRE2815	28×15mm	28.2	28.8	37.00	15.2	7.1	23	53
GPFRE2822	28×22mm	28.2	28.8	37.00	22.2	7.1	23	50.5
GPFRE3528	35×28mm	35.3	35.9	43.90	28.2	7.1	26	56
GPFRE4235	42×35mm	42.3	42.9	52.80	35.3	8.8	30	63
GPFRE5442	54×42mm	54.3	54.9	64.85	42.3	8.8	35	75



PRESS-TITE™

PRESS-TITE GAS: REDUCER TEE




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 42 mm
Type	Reducer Tee
Material	Copper
Group	Tee
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	D5	L2	A	C
		Size	Size	Size	Size	Size	0.5	±1.0	Size
	22×15×15	22.2	22.8	30.90	15.2	15.8	21	37	46
GPFTE222215	22×22×15	22.2	22.8	30.90	22.2	22.8	21	37	46
	28×15×15	28.2	28.8	37.00	15.2	15.8	23	42	44
	28×15×22	28.2	28.8	37.00	15.2	15.8	23	42	42
	28×22×15	28.2	28.8	37.00	22.2	22.8	23	42	46.5
	28×22×22	28.2	28.8	37.00	22.2	22.8	23	42	42.5
GPFTE282815	28×28×15	28.2	28.8	37.00	28.2	28.8	23	42	50
GPFTE282822	28×28×22	28.2	28.8	37.00	28.2	28.8	23	42	46
	35×22×22	35.3	35.9	43.90	22.2	22.8	26	45	47
	35×22×28	35.3	35.9	43.90	22.2	22.8	26	45	47
	35×28×28	35.3	35.9	43.90	28.2	28.8	26	47	50
GPFTE353522	35×35×22	35.3	35.9	43.90	35.3	35.9	26	50	55
GPFTE353528	35×35×28	35.3	35.9	43.90	35.3	35.9	26	50	55
	42×35×35	42.3	42.9	52.80	35.3	35.9	30	55	57



PRESS-TITE™

PRESS-TITE GAS: REDUCER TEE




Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 54 mm
Type	Reducer Tee
Material	Copper
Group	Tee
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	d2	d3	L2	A	B
		Size	Size	Size	Size	Size	0.5	±1.0	Size
GPFT222215	22x 22x15	22.2	22.8	30.90	15.8	22.85	21	66	31
GPFT282815	28 x 28x15	28.2	28.8	37.00	15.8	22.85	23	84	40.5
GPFT282822	28 x 28x22	28.2	28.8	37.00	22.8	30.9	23	84	41
GPFT353515	35 x 35x15	35.3	35.9	43.90	15.8	22.85	26	90	44
GPFT353522	35 x 35x22	35.3	35.9	43.90	22.8	30.9	26	90	45
GPFT353528	35 x 35x28	35.3	35.9	43.90	28.8	37	26	100	44
GPFT424215	42 x 42x15	42.3	42.9	52.80	15.8	22.85	30	100	48
GPFT424222	42 x 42x22	42.3	42.9	52.80	22.8	30.9	30	100	48
GPFT424228	42 x 42x28	42.3	42.9	52.80	28.8	37	30	112	49
GPFT424235	42 x 42x35	42.3	42.9	52.80	35.9	43.9	30	112	50
GPFT545422	54 x 54x22	54.3	54.9	64.85	22.8	30.9	35	120	54
GPFT545428	54 x 54x28	54.3	54.9	64.85	28.8	37	35	120	55
GPFT545435	54 x 54x35	54.3	54.9	64.85	35.9	43.9	35	122	55



PRESS-TITE™

PRESS-TITE GAS: REDUCER TEE



Suitable for	Natural & LPG Gas
O-Ring Colour	Yellow
O-Ring Type	HNBR
Range Size	15 mm - 28 mm
Type	Reducer Tee
Material	Copper
Group	Tee
Certification	EN1254-7-2021
BSI Kitemark No.	KM775908
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	D6	L4	A	B
		Size	Size	Size	Size	Size	0.5	± 1.0	Size
GPFTTE151522	15 x 15x22	15.2	15.8	22.85	22.2	30.90	21	75	34
GPFTTE222228	22 x 22x28	22.2	22.8	30.90	28.2	37.00	23	78	38