




# PRESS-TITE™

## PRESS-TITE WATER: STRAIGHT CONNECTOR




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	Straight Connector
Material	Copper
Group	Straight Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L1	L2	A
		Size	Size	Size	0.5	±1.0	Size
PFCO15	15mm	15.2	15.8	22.85	6.4	20	44
PFCO22	22mm	22.2	22.8	30.90	7.3	21	44
PFCO28	28mm	28.2	28.8	37.00	7.1	23	48
PFCO35	35mm	35.3	35.9	43.90	7.1	26	55
PFCO42	42mm	42.3	42.9	52.8	8.8	30	62
PFCO54	54mm	54.3	54.9	64.85	8.8	35	74



# PRESS·TITE™

## PRESS-TITE WATER: 90° ELBOW COUPLER




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	90° Elbow
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L1	L2	A
		Size	Size	Size	0.5	±1.0	Size
PFEL15	15mm	15.2	15.8	22.85	6.4	20	38
PFEL22	22mm	22.2	22.8	30.90	7.3	21	47.4
PFEL28	28mm	28.2	28.8	37.00	7.1	23	56.6
PFEL35	35mm	35.3	35.9	43.90	7.1	26	68
PFEL42	42mm	42.3	42.9	52.8	8.8	30	80.4
PFEL54	54mm	54.3	54.9	64.85	8.8	35	100



# PRESS-TITE™

## PRESS-TITE WATER: 45° ELBOW




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	45° Elbow
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	A
		Size	Size	Size	Size	0.5	±1.0	Size	Size
PFEL1545	15mm	15.2	15.8	22.85	15	6.4	20	23	27.5
PFEL2245	22mm	22.2	22.8	30.90	22	7.3	21	24	32
PFEL2845	28mm	28.2	28.8	37.00	28	7.1	23	27	37
PFEL3545	35mm	35.3	35.9	43.90	35	7.1	26	30	43.5
PFEL4245	42mm	42.3	42.9	52.8	42	8.8	30	34	51
PFEL5445	54mm	54.3	54.9	64.85	54	8.8	35	39	62



# PRESS-TITE™

## PRESS-TITE WATER: 90° STREET ELBOW




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	90° Elbow Street
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	A
		Size	Size	Size	Size	0.5	±1.0	Size	Size
PFELS15	15mm	15.2	15.8	22.85	15	6.4	20	23	38
PFELS22	22mm	22.2	22.8	30.90	22	7.3	21	24	47.4
PFELS28	28mm	28.2	28.8	37.00	28	7.1	23	27	56.6
PFELS35	35mm	35.3	35.9	43.90	35	7.1	26	30	68
PFELS42	42mm	42.3	42.9	52.8	42	8.8	30	34	80.4
PFELS54	54mm	54.3	54.9	64.85	54	8.8	35	39	100



# PRESS-TITE™

## PRESS-TITE WATER: 45° STREET ELBOW




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	45° Elbow Street
Material	Copper
Group	Elbow Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	B
		Size	Size	Size	Size	0.5	±1.0	Size	Size
PFELS1545	15mm	15.2	15.8	22.85	15	6.4	20	23	34
PFELS2245	22mm	22.2	22.8	30.90	22	7.3	21	24	42
PFELS2845	28mm	28.2	28.8	37.00	28	7.1	23	27	45.4
PFELS3545	35mm	35.3	35.9	43.90	35	7.1	26	30	58
PFELS4245	42mm	42.3	42.9	52.8	42	8.8	30	34	73
PFELS5445	54mm	54.3	54.9	64.85	54	8.8	35	39	85



# PRESS-TITE™

## PRESS-TITE WATER: EQUAL TEE CONNECTOR




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	Equal Tee
Material	Copper
Group	Equal Tee
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	L1	L2	A	B
		Size	Size	Size	0.5	±1.0	Size	Size
PFTE15	15mm	15.2	15.8	22.85	6.4	20	64	32
PFTE22	22mm	22.2	22.8	30.90	7.3	21	74	37
PFTE28	28mm	28.2	28.8	37.00	7.1	23	84	42
PFTE35	35mm	35.3	35.9	43.90	7.1	26	100	50
PFTE42	42mm	42.3	42.9	52.8	8.8	30	116	58
PFTE54	54mm	54.3	54.9	64.85	8.8	35	138	69



# PRESS-TITE™

## PRESS-TITE WATER: END CAP




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	End Cap
Material	Copper
Group	End Cap
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	L3	A
		Size	Size	Size	Size	0.5	±1.0	Size	Size
PFEC15	15mm	15.2	15.8	22.85	15	6.4	20	23	22.5
PFEC22	22mm	22.2	22.8	30.90	22	7.3	21	24	24.5
PFEC28	28mm	28.2	28.8	37.00	28	7.1	23	27	26.5
PFEC35	35mm	35.3	35.9	43.90	35	7.1	26	30	29.5
PFEC42	42mm	42.3	42.9	52.8	42	8.8	30	34	33.5
PFEC54	54mm	54.3	54.9	64.85	54	8.8	35	39	38.5



# PRESS-TITE™

## PRESS-TITE WATER: SLIP COUPLER



Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	Slip Coupler
Material	Copper
Group	Straight Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile


MPN	Size	D1	D2	D3	L	A
		Size	Size	Size	0.5	Size
PFSC15	15mm	15.2	15.8	22.85	6.4	80
PFSC22	22mm	22.2	22.8	30.90	7.3	80
PFSC28	28mm	28.2	28.8	37.00	7.1	80
PFSC35	35mm	35.3	35.9	43.90	7.1	102
PFSC42	42mm	42.3	42.9	52.8	8.8	120
PFSC54	54mm	54.3	54.9	64.85	8.8	140





# PRESS-TITE™

## PRESS-TITE WATER: INTERNAL REDUCER COUPLER




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	Internal Reducer
Material	Copper
Group	Reducer Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	A
		Size	Size	Size	Size	0.5	±1.0	Size
PFRC2215	22×15mm	15.2	15.8	22.85	22	6.4	20	50
PFRC2815	28×15mm	15.2	15.8	22.85	28	6.4	20	55
PFRC2822	28×22mm	22.2	22.8	30.9	28	7.3	21	53
PFRE3522	35×22mm	22.2	22.8	30.9	35	7.3	21	60
PFRE3528	35×28mm	28.2	28.8	37	35	7.1	23	59
PFRE4222	42×22mm	22.2	22.8	30.9	42	7.3	21	67
PFRE4228	42×28mm	28.2	28.8	37	42	7.1	23	67
PFRE4235	42×35mm	35.3	35.9	43.9	42	7.1	26	66
PFRE5435	54×35mm	35.3	35.9	43.9	54	7.1	26	79
PFRE5442	54×42mm	42.3	42.9	52.8	54	8.8	30	77



# PRESS-TITE™

## PRESS-TITE WATER: REDUCER COUPLER




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	Reducer
Material	Copper
Group	Reducer Coupler
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	L1	L2	A
		Size	Size	Size	Size	0.5	±1.0	Size
PFRE2815	28×15mm	28.2	28.8	37.00	15.2	7.1	23	53
PFRE2822	28×22mm	28.2	28.8	37.00	22.2	7.1	23	50.5
PFRE3528	35×28mm	35.3	35.9	43.90	28.2	7.1	26	56
PFRE4235	42×35mm	42.3	42.9	52.80	35.3	8.8	30	63
PFRE5442	54×42mm	54.3	54.9	64.85	42.3	8.8	35	75



# PRESS-TITE™

## PRESS-TITE WATER: REDUCER TEE




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 42 mm
Type	Reducer Tee
Material	Copper
Group	Tee
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	D5	L2	A	C
		Size	Size	Size	Size	Size	0.5	±1.0	Size
	22×15×15	22.2	22.8	30.90	15.2	15.8	21	37	46
PFTE222215	22×22×15	22.2	22.8	30.90	22.2	22.8	21	37	46
	28×15×15	28.2	28.8	37.00	15.2	15.8	23	42	44
	28×15×22	28.2	28.8	37.00	15.2	15.8	23	42	42
	28×22×15	28.2	28.8	37.00	22.2	22.8	23	42	46.5
	28×22×22	28.2	28.8	37.00	22.2	22.8	23	42	42.5
PFTE282815	28×28×15	28.2	28.8	37.00	28.2	28.8	23	42	50
PFTE282822	28×28×22	28.2	28.8	37.00	28.2	28.8	23	42	46
	35×22×22	35.3	35.9	43.90	22.2	22.8	26	45	47
	35×22×28	35.3	35.9	43.90	22.2	22.8	26	45	47
	35×28×28	35.3	35.9	43.90	28.2	28.8	26	47	50
PFTE353522	35×35×22	35.3	35.9	43.90	35.3	35.9	26	50	55
PFTE353528	35×35×28	35.3	35.9	43.90	35.3	35.9	26	50	55
	42×35×35	42.3	42.9	52.80	35.3	35.9	30	55	57



# PRESS-TITE™

## PRESS-TITE WATER: REDUCER TEE




Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 54 mm
Type	Reducer Tee
Material	Copper
Group	Tee
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	d2	d3	L2	A	B
		Size	Size	Size	Size	Size	0.5	±1.0	Size
PFTE222215	22x 22x15	22.2	22.8	30.90	15.8	22.85	21	66	31
PFTE282815	28 x 28x15	28.2	28.8	37.00	15.8	22.85	23	84	40.5
PFTE282822	28 x 28x22	28.2	28.8	37.00	22.8	30.9	23	84	41
PFTE353515	35 x 35x15	35.3	35.9	43.90	15.8	22.85	26	90	44
PFTE353522	35 x 35x22	35.3	35.9	43.90	22.8	30.9	26	90	45
PFTE353528	35 x 35x28	35.3	35.9	43.90	28.8	37	26	100	44
PFTE424215	42 x 42x15	42.3	42.9	52.80	15.8	22.85	30	100	48
PFTE424222	42 x 42x22	42.3	42.9	52.80	22.8	30.9	30	100	48
PFTE424228	42 x 42x28	42.3	42.9	52.80	28.8	37	30	112	49
PFTE424235	42 x 42x35	42.3	42.9	52.80	35.9	43.9	30	112	50
PFTE545422	54 x 54x22	54.3	54.9	64.85	22.8	30.9	35	120	54
PFTE545428	54 x 54x28	54.3	54.9	64.85	28.8	37	35	120	55
PFTE545435	54 x 54x35	54.3	54.9	64.85	35.9	43.9	35	122	55



# PRESS-TITE™

## PRESS-TITE WATER: REDUCER TEE



Suitable for	Water
O-Ring Colour	Black
O-Ring Type	EDPM
Range Size	15 mm - 28 mm
Type	Reducer Tee
Material	Copper
Group	Tee
Certification	EN1254-7
WRAS Approved	WRAS
Press Profile	M-Profile

MPN	Size	D1	D2	D3	D4	D6	L4	A	B
		Size	Size	Size	Size	Size	0.5	±1.0	Size
	15 x 15×22	15.2	15.8	22.85	22.2	30.90	21	75	34
	22 x 22×28	22.2	22.8	30.90	28.2	37.00	23	78	38